## INTEGRATED DEVELOPMENT OF LEATHER SECTOR (IDLS) SCHEME

## LIST OF TANNERY MACHINES - APPROVED FOR XII FIVE YEAR PLAN

l.No	Name of Machines	Main Specifications	Imported or Indigenous
		w/w:1200-1400mm	Indigenous
1	Unhairing machine (for skins)	w/w:1400-1650mm	Indigenous
		w/w:1400-1650mm	Imported
2	Sulphide Applicator, hydraulic	w/w:1600-3000mm	Imported
3	(a)Fleshing machine	w/w:1200-1800mm	Indigenous
	(b)Fleshing machine	w/w:2100-2700mm	Indigenous
		w/w:1200-1400mm	Indigenous
4	Scudding machine, hydraulic	w/w:1450-1650mm	Indigenous
		w/w:2100-2700mm	Imported
5	(a)Hydraulic Throughfeed	w/w:3000-3400mm	Imported
	Wetblue Sammying machine	w/w:2100-2400mm	Indigenous
	(b)Sammying machine	w/w:2700-3200mm	Indigenous
	(ordinary type)	w/w:1500-2100mm	Imported
6	(a)Hydraulic Bandknife splitting	w/w:2400-3000mm	Imported
	machine	w/w:1800-2700mm	Indigenous
	(b)Bandknife Splitting machine	w/w:1800-2700mm	Imported
7	(a)Hydraulic Wet Shaving machine		Imported
	(b)Hydraulic Dry Shaving machine	w/w:1300-	Indigenous
	(c)Hydraulic Shaving machine	w/w:800-1000mm	Indigenous
		w/w:1300mm	Indigenous
	(d)Shaving machine (mechanical)	w/w:300-600mm	Imported
8	(a)Hydraulic Throughfeed	w/w:1600-2100mm	Imported
	Sammying -cum-Setting machine	w/w:2400-3200mm	Imported
	(b)Hydraulic Reversible Setting machine	w/w:1500-1600mm	Indigenous
	(c)Hydraulic Reversible Setting machine	w/w:1200-1800mm	Indigenous
		w/w:2100-2550mm	Imported
9	Wet Stretching machine	w/w:3200-3400mm	
10	Vacuum Dryer of Table size	Tables 2-3nos.	Imported Imported
	2400 x 4700mm/ 2500x5000/3000 x 6000/	Tables 4-6nos.	Imported
	3000 x 4000mm/3200 x 7000mm, etc.	Tables 7 nos.	Imported
		Tables 7 nos.(Spl.category)	mported
11	(a)Conveyor system for leather drying with standard	200m	Imported
	accessories	50-80m	Indigenous
11	(b)Overhead Drying Conveyor, with brackets, Gearbox,	80-120m	Indigenous
	hangers, Structural support & accessories.(Of varying	120-150m	Indigenous
	lengths)	TCO #50!!!	Imported
11A	Paste Drying unit with std.accessories.	w/w:1600-2100mm	Imported
12	(a) Throughfeed Vibration Staking	w/w:2400-3000mm	Imported
	machine of varying Heads + jaws	w/w:3200-3400mm	Imported
		W/ W.5200-5-40011111	
	(b)Throughfeed Vibration Staking	w/w:1650-2400mm	Indigenous
	machine	1 4000	Imported
	(c)Horizontal Rotary Staking machine	w/w:1600mm	
	(d)Vertical Staking machine	w/w:1200-1300mm	Imported
<del></del>	(Schoedel type) (e)Slocomb Staking machine	Jaw type	Indigenous

40	(a) Auto Toggling machine,	160 special-3	Imported
13		EMMEZETA MS Frames	Imported
	throughfeed with accessories	3400x2800mm	
		-4000x1800mm	Imported
	•	(Quick 18 super)	-
	(b)Auto Toggling machine,	Size:1400mm x 15m.	
	conveyorised, with Drying chamber	-2200mmx18m	Indigenous
	(c)Toggle Dryer (ordinary type) with	10 Frames	Indigenous
	heaters, motor with blower, thermostat assembly,	20 Frames	Indigenous
	control panel, toggle clips, etc.	Frame sizes:	
	Control partoly complete the partole p	8'x6',8'x8',9'x7',9'x8',etc	
	Tumble Drier / Drum Drier	Capacity:50kg-60kg	Indigenous
14	Tumble Offer / Ordin Offer	Capacity:100kg-150kg	Indigenous
		Capacity:200kg-250kg	Indigenous
		w/w:1300-1800mm	Imported
15	(a)Throughfeed Lightning Buffing		
	machine	w/w:2100-2400mm	Imported
		w/w:2700-3050mm	Imported
	(b) Throughfeed Buffing machine	w/w:1300-1600mm	Indigenous
	(Hydraulic/Preumatic)with Dust extractor, etc.		
	(c)Buffing, Double width	w/w:600mm	Indigenous
	(d)Buffing machine, Single width	w/w:300mm/300mm.	Indigenous
	(d)butting macrime, strigge wissin	High speed	
		w/w: -3200mm	Imported
16	(a)Airblast Dedusting machine	w/w:1200-1500mm	Indigenous
	(b)Dedusting machine (ordinary type) with brush,	W/W.1200-130011111	Margenous
	centrifugal Blower		1. 2
	(c ) Dedusting machine (Special type-M73.10) with Twin	w/w:1500-1600mm	Indigenous
	lobes Rotary Blower		
17	Briquetting /cake making machine/		Imported
	Buffing Dust compacting machine		
18	(a)Combined Throughfeed Lightning	w/w:1800-2400mm	Imported
10	Buffing machine with Airblast Dedusting machine, Dust	w/w:2700-3200mm	Imported
	collector & Briquetting machine	w/w:1800-2100mm	Imported
	(b)Combined Airblast Dedusting	VV/ VV.1500 2100/////	
	machine Blower, Dust Collector & Briquetting machine		
			Indigenous
	(c)G.I. Fabricated Dust Collector with		malgenous
	Pneumatic cylinder, Vibration system, Filter bags, MS		
	centrifugal blower, motor, Ducting, etc.		
19	(a)Polishing machine, Hydraulic -	w/w600mm	Imported
	with Stone & Felt rollers	w/w:800mm	Imported
	(b)Polishing machine, Hydraulic-with	w/w600-	Imported
	wool cloth roller, green type		
	(c)Polishing machine, hydraulic/	w/w600-800mm	Indigenous
	11.		
	Mechanical, with Stone (Amber)/Felt rollers	w/w:1800-2200mm	Imported
20	Rotary Pigment Coating machine	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	·
	(Roller Coating machine) with syncro and reverse	w/w:2600-3400mm	Imported
•	rotation, coating rollers, roller heating system		
	&accessories		
21	Curtain Coating machine with std.	w/w:1800mm x3/3	Imported
•	accessories		
22	(a)Autospray comprising Electronic	w/w1000mm./1200mm.x4.5	Indigenous
<b>44</b>	Rotary Spraying cabin + 16/12/8/4 spray guns (imported	m	
	or indigenous) + Drying chambers + Ventilator +	w/w:1800mm	Indigenous
		w/w:2400mm	Indigenous
	accessories (Exhaust Ducting & Chimney)	w/w:3000mm	Indigenous
		w/w.sooumn	margenous
			I have a who of
	(b)Autospray, with spraygun model	Rotary Device	Imported
	MCR BA-PE(24LVHP guns)	Model:SP-100	

· ·	(c)Autospray (Head only)with spares	w/w1800-2400mm	Imported
	(d)Autospray - Spraying cabin only	w/w:2400-3000mm	Indigenous
	with spray guns + accessories.		•
	(e)Autospray-Drying chambers only	w/w:1800-3000mm	Indigenous
	with heaters + accessoies		
	(f) Handspray Booth with expandable	8'x6'/9'x6'	Indigenous
	metal top, exhaust system (blower & motor)&spray gun.	2400x1350mm(HiTech)	Indigenous
	, , ,	1800x1350mm(HiTech)	Indigenous
23	(a)Throughfeed Ironing & Embossing	w/w:2400-3000mm	Imported
	machine with embossing rollers &accessories	(with 4-5 rollers)	
	(b)Engraved Embossing Roller for		
	Throughfeed Embossing machine	Different Designs	Imported
	(c)Hydraulic Ironing & Embossing Press	Thrust:850 Tons	Imported (Thai)
	(C) Hydraulic Horning & Embossing Fress	Platen size:1370x1000mm	Imported(Italian)
			Imported(Thai)
		Thrust:600Tons	11 -
		Platen size:1370x660mm	Imported(Italian)
	(d)Hydraulic Ironing&Embossing Press	-850T/1370x1000mm	Indigenous
		-600T/1370x660mm	Indigenous
	(e)Embossing Plates for Hydraulic Press.	Special Designs	Imported
	Size: 1370x1000x10mm.	(UNGRICHT/DORNBUSCH)	
	&1370x660x10mm.	Other Designs	Imported
		Plain Plate	Indigenous
		Other Designs	Indigenous
24	Automatic Throughfeed Ironing &	w/w:1700-1850mm	Imported
	Plating machine with Aspirator & Dust Collector	w/w:2100-3000mm	Imported
25	Finiflex type Ironing machine	w/w1500-1800mm	Indigenous
		,	
26	(a)Glazing machine	900mm(LISSA)	imported
20	(b) Glazing machine	900mm	Indigenous
27	(a)Area Measuring machine for	w/w1400-2400mm	Indigenous
27	1, ,	w/w:2400-3200mm	Indigenous
	Wetblue, micro processor-based, with Printer,	W/W.2400-3200mm	maigenous
	etc.(Feeding & Receiving end in s.s.)		
	(b)Pattern Scanning machine for	/ 1500 1000	Les es a misa el
	finished leather(Area Measuring, etc)	w/w1600-1800mm	Imported
	(c)Area Measuring machine for		
	finished leather	w/w:1400-3000mm	Indigenous
28	Steam Boiler/Thermic Fluid Heater	Capacity:	Indigenous
	with fittings, pump assembly, valves, blowers, centrifugal	2lakh k.cal/hr-5lakh k.cal/hr	
	fans, gauges, insulation & refractories, structural support,	5lakh k.cal/hr	
	ducting, chimney, etc.	-7lakh k.cal./hr	Indigenous
29	(a)Air Compressor with all accessories-	ELGI TS03120H, 3HP	Indigenous
-	ELGI/ATLAS COPCO/KAESAR,etc.	7.5HP/20HP	Indigenous
	, , , , , , , , , , , , , , , , , , , ,	30HP/40HP 7.5bar/8.0bar	Indigenous
	(b)Air Receiver	0.5M3 7kg/cm2(500l)	Indigenous
30	Genset with Alternator &accessories	62.5KVA	Indigenous
50	Consider With A Month and Consider With Consider With A Month and Cons	82.5KVA / 125KVA	Indigenous
		180.0KVA	Indigenous
		200/250.0KVA	Indigenous
			_
		600.0KVA(VOLVO)	Indigenous
	Lab.Testing Equipment	011100mm=	In discount :-
31	(a) Electronic Weighing Scales	3kg/100mg accuracy	Indigenous
	(b)Incubator double walled		Indigenous
	chamber innerwall s.s., Digital Temp. Controller-		
	cum.indicator + accessories.		
	(c)VESLIC Rub Fastness Tester with 4		Imported
	stations + white felts (1000pcs/pack) + Black felts (1000	1	1
	Stations + write felts (1000pcs/pack) + black felts (1000	1	

\*\*\*\*\*\*\*\*\*\*\*\*

, ,	(d)VESLIC Rub Fastness Tester		Indigenous
	(e)Electrical Waterbath, double-walled with thermostatic		Indigenous
	control 14"x10"x4" with 6 holes; Digital pH meter	·	
	(complete unit); Glass Double Distillation unit 1.5l/hr;		
	Electronic Relay Unit for the above.		
	(f)Soxhlet Extraction apparatus with		Indigenous
	r.b.flask 250ml, Allihu condenser & Extractor, Cap.100ml;		
	Retort stand with condenser clamp; Heating mantle with		
	energy regulator, cap:250ml; Fume hood cupboard		
	4'x2'x2', Remi make model 1ML magnetic stirrer with		
•	Digital speed indicator; Infrared moistrue balance,		
	cap.25ml; Electronic Timer 0-30 min for the above.		
	7 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A		Indigenous
	(g)Hot plate, without Model IMLM		inalgenous
	Magnetic stirrer (Remi make)	1"/1.5"/2"/3"/4"	Indigenous
32	Electro magnetic Flowmeter (Krohne Marshall)	Throat size 300mm/450mm	indigenous
33	Thickness Measuring Gauges	Throat size Southing 450min	maigenous
34	Data Color Matching System		Imported
	comprising Datacolor 110LAV spectro photometer & Data		
	color Tools Basic softwear		
35	Effluent Treatment Plant consiting of	<2Tons/day of Raw wt.	Indigenous
	(1) Pre-Treatment Plant(PTP) & (2)chrome Recovery Unit	of hides/skins	
	(CRU) (cost roughly 50%each)	3-5 Tons/day	Indigenous
		5-10 Tons/day	Indigenous
36	ETP-R.O.Plant		Indigenous
37	Material Handling Equipment	Lower capacity	Indigenous
	(mechanised) (Forklift, Goods lift, etc.)	Higher capacity	Indigenous
38	Workers' Health & Safety -Wind	SRJ 22"	Indigenous
	Ventilators for factory building including FRP Base for		
	fixing, and assembly		
39	(a)Specialised Technical Services	ANT ARA-ERP	Imported
	Software (Licences, Blue prints, Implementation)		
	(b)ERP Tannery Modernisation		Indigenous
	Softwear Leather Link TMS to achieve Productivity		
	improvement, cost saving & improving customer service		
40	(a) Sample Drum (wooden) of Malaysian	3'x3'/1m.x1m	Indigenous
	salwood or similar with motor & accessories	4'x3'/4'x4'/4.5'x4.5'	Indigenous
		5'x4'	Indigenous
-	(b)Sample Drum (S.S) for Tanning /Dyeing,	3'x3'/4'x4'	Indigenous
	with accessories.	800mm x400mm	Indigenous
	·	(RAMSONS)	
	·	1200x600mm	Indigenous
		1000mmx500mm	Indigenous
		(SIVTECH)	
		3.60'x2.4'(RAMS INDIA)	Indigenous
	(c) Sample Drum (S.S.) with accessories	1500mm x1200mm	Imported (Italian)
	Note that the second of the se	1200mm x600mm	Imported (Italian)
41	(a)Wooden Drum of Malaysian Salwood or	10'x8'	Indigenous
	similar, with gear box, motor & accessories (for Liming)	10'x10'	
		12'x10'	
	(b)Wooden Drum for Liming with all accessories	4000 x 4000mm (PAJUSCO)	Imported (Italian)

42	(a)Wooden Drum of Malaysian Salwood or	6'x4'	Indigenous
	similar, with motor & accessories-for Tanning/Dyeing	8'x6'/8'x7'	Indigenous
	&Fathiquoring	8'x8'/8'x8.5'	Indigenous
		9'x9'/10'x8'	Indigenous
	(b) Wooden Drum for Tanning & Dyeing	3000x3000mm Model:ZLXC	Imported (Chinese)
	with accessories.	3500x3500mm Model:ZLXC	Imported (Chinese)
	WITH decessories.	300x2500mm(PAJUSCO)	Imported (Italian)
		3500x2500mm(PAJUSCO)	Imported (Italian)
		CANGLIONS, 3000x2500mm	Imported (Spanish)
		(OLCINA)	•
		4000 x 4000mm(PAJUSCO)	
	(c)S.S.Drum for Tanning & Dyeing/ Leather	1200x900mm(RAMSONS)	Indigenous
	The state of the s	Loading Cap:40kg	
	Dyeing machine, with accessories.	775x400mm (RAMSONS)	Indigenous
		Loading Cap:5kg	ma.gomous
		OPTOMIX 1000x500mm	Indigenous
		(TECHNO CONCEPTS) (25kg)	aiPolioan
		OPTOMIX 1200x600mm	Indigenous
			Indigenous
		(40kg) OPTOMIX	Indigenous
		1500x800mm(60kg)	maigonous
		1500x850mm(RAMSONS)	·
	(d)S.S.Drum with 3 Comparments &	UNIMATIK 4000	Imported(Italian)
	accssories	UNIMATIK 6000	Imported(Italian)
		UNIMATIK-SOMAC	Imported(Italian)
		204/205/206	•
	(e)Polypropylene (PPH) Tanning & Dyeing	Small capacity-15kg.W.b.	Indigenous
	machine (Drum) with accessories	Shaved wt/5kg.crust	
		wt.(RAMSONS)	
		1600mm x1130mm PLC & PID	Indigenous
		(RAMSONS)	1
		2400mm x 2000mm PLC &	Indigenous
		PID (RAMSONS)	
		1700mm x 1200mm (HUNI)	Imported (Italian)
		2500mm x 2000mm (HUNI)	Imported (Italian)
		3000mm x 2500mm (HUNI)	Imported (Italian)
		3500mm x 3500mm	Imported (Italian)
		(ITALPROGETTI Engg.)	
		3000mm x 2000mm	Imported (Italian)
		(ITALPROGETTI Engg.)	
		2500mm x 2000mm	Imported (Italian)
		(ITALPROGETTI Engg.)	
		2500mm x 1500mm (HUNI)	Imported (Italian)
43	Process Control System		
	(a) Water Mixing & Dosing system	For 6-8 Drums	Imported (Swiss/HUNI)
	(AQUAMIX type) + accessories	·	
	(b) Chemical Mixing & Dosing system	For 6-8 Drums	Imported (Swiss/HUNI)
	(PRODOMIX type + accessories		
	PRODODOS type, with fittings	PD STP/4F/4C/IM	Imported (Italian/HUNI)
44	(a)Milling / Dry Drum (Wooden) of	8'x6' /8'x7'	Indigenous
	Salwood or similar with accessories	8'x8'/10'x4'/10'x6'	Indigenous
		12'x9'/10'x8'/10'x7'	Indigenous
		i i	
	(b) Milling / Dry Drum (Wooden)	2000 x 1000mm, AMC /	Imported (Italian)

1* 2*	(C)S.S. Dry Milling Drum with filtration of dust, control of temperature & humidity & chemical injection + other accessories (d) S.S. Dry Milling Drum with kit for chemicals inflow & other special features + accessories	2600 x 1800mm	Indigenous (SIVTECH/ TECHNO CONCEPTS/RAMS INDIA/SIVAGAMI)
		2500 x 1650mm INOX 2500 Low Classic	Imported (Italian/ERRETRE S.P.A) Imported (Italian/PAJUSCO
		3000 x 2000mm (ext.meas) PAJTEC "X-MILLING"	TECHNOLOGIE)

NB:

Any machine other than those appearing in the above List, can be considered by Steering Committee on the recommendations of the PIUs.

NB:

Self fabricated drums and paddles are not recommended for inclusion in the List of Machinery.